

#5
3.5.02

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : PRESTA et al.) Group Art Unit: To be assigned)
App. No. : To be assigned)
Filed : Concurrently)
For : HUMAN TRK RECEPTORS)
AND NEUROTROPHIC)
FACTOR INHIBITORS)
Examiner : To be assigned)

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Enclosed is form PTO-1449 listing references. As provided in 37 C.F.R. § 1.98(d), copies of references cited by or provided to the Patent Office in priority Application Serial Nos. 08/446,172 and 08/286,846 are not enclosed. Copies of other references are provided herewith. This Information Disclosure Statement is being filed within three months of the filing date of this application or upon filing if this is a CPA or RCE, and no fee is required in accordance with 37 C.F.R. § 1.97(b)(1), (b)(2), or (b)(4).

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: September 27, 2001 By: [Signature]

Ginger R. Dreger
Registration No. 33,055
Attorney of Record
620 Newport Center Drive
Sixteenth Floor
Newport Beach, CA 92660
(415) 954-4114

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (USE SEVERAL SHEETS IF NECESSARY)	ATTY. DOCKET NO. GENENT.33CPC4C		APPLICATION NO. To be assigned	
	APPLICANT Presta			
	FILING DATE Concurrently		GROUP Unknown	



U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
	1	5,348,856	09/20/94	Barabacid et al.	C07K	13/00	

FOREIGN PATENT DOCUMENTS								
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
	2	455,460	06/11/91	EPO	C12N	15/12		
	3	522,530	13/01/93	EPO	C12N	15/12		

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
	4	Adams et al., "Nerve growth factor accelerates seizure development, enhances mossy fiber sprouting, and attenuates seizure-induced decreases in neuronal density in the kindling model of epilepsy," <i>J. Neuro Sci.</i> , 17(14):5288-5296 (1997).
	5	Allen et al., "Cloning of a Non-Catalytic Form of Human trkB and Distribution of Messenger RNA for trkB in Human Brain," <i>Neuroscience</i> , 60(3):825-834 (1994).
	6	Barde et al., "Purification of a New Neurotrophic Factor From Mammalian Brain," <i>EMBO Journal</i> 1 (5): 549-553 (1982).
	7	Berkmeier et al., "Neurotrophin-5: A Novel Neurotrophic Factor That Activates trk and trkB," <i>Neuron</i> 7: 857-866 (November 1991).
	8	Calderhead et al., "Cloning of mouse Ox40: a T cell activation marker that may mediate T-B cell interactions," <i>J. Immunol.</i> , 151:5261-5271 (1993).
	9	Davies et al., "p75-Deficient Trigeminal Sensory Neurons Have an Altered Response to NGF but Not to Other Neurotrophins," <i>Neuron</i> 11: 565-574 (October 1993).
	10	Dawbarn et al., Society for Neuroscience Annual Meeting Abstracts, Volume 19, Parts 1-3 (1993). Abstract Nos. 453.9 and 538.13.
	11	Dawbarn et al., "Cloning of a Human trkB Gene and Distribution in Human Brain by in situ Hybridization," <i>British Journal of Pharmacology (Proceedings Supplement)</i> , 111 (1994).
	12	Duan et al., "A functional soluble extracellular region of the platelet-derived growth factor (PDGF) beta-receptor antagonizes PDGF-stimulated responses," <i>J. Biol. Chem.</i> , 266:413-418 (1991).
	13	Eager, "Molecular Characterization of human trk Proto-oncogene Product Monoclonal Antibodies," <i>Oncogene</i> , 6:819-824 (1991).
	14	Emfors et al., "Molecular cloning and neurotrophic activities of a protein with structural similarities to nerve growth factor: Developmental and topographical expression in the brain," <i>Proc. Natl. Acad. Sci. USA</i> 87: 5454-5458 (July 1990).
	15	Hallbook et al., "Evolutionary Studies of the Nerve Growth Factor Family Reveal a Novel Member Abundantly Expressed in Xenopus Ovary," <i>Neuron</i> 6: 845-858 (May 1991).
	16	Herrmann et al., "Mediation of NGF-stimulated Extracellular Matrix Invasion by the Human Melanoma Low-affinity p75 Neurotrophin Receptor: Melanoma p75 Functions Independently of trkA," <i>Mol. Biol. Cell</i> 4: 1205-1216 (November 1993).
	17	Hohn et al., "Identification and characterization of a novel member of the nerve growth factor/brain-derived neurotrophic factor family," <i>Nature</i> 344: 339-341 (March 22, 1990).
	18	Ibanez et al., "Disruption of the Low Affinity Receptor-Binding Site in NGF Allows Neuronal Survival and Differentiation by Binding to the trk Gene Product," <i>Cell</i> 69: 329-341 (April 17, 1992).
	19	Ip et al., "Mammalian neurotrophin-4: Structure, chromosomal localization, tissue distribution, and receptor specificity," <i>Proc. Natl. Acad. Sci. USA</i> 89: 3060-3064 (April 1992).
	20	Jones et al., "Molecular cloning of a human gene that is a member of the nerve growth factor family," <i>Proc. Natl. Acad. Sci. USA</i> 87: 8060-8064 (1990).

EXAMINER	DATE CONSIDERED
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.	

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. GENENT.33CPC4C	APPLICATION NO. To be assigned
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (USE SEVERAL SHEETS IF NECESSARY)		APPLICANT Presta	
		FILING DATE Concurrently	GROUP Unknown

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
	21	Kaisho et al., "Cloning and expression of a cDNA encoding a novel human neurotrophic factor," <u>FEBS Letters</u> 266(1, 2): 187-191 (June 1990).
	22	Kaplan et al., "Induction of TrkB by Retinoic Acid Mediates Biologic Responsiveness to BDNF and Differentiation of Human Neuroblastoma Cells," <u>Neuron</u> 11: 321-331 (1993).
	23	Klein et al., "The trkB Tyrosine Protein Kinase Is a Receptor for Brain-Derived Neurotrophic Factor and Neurotrophin-3," <u>Cell</u> 66: 395-403 (July 26, 1991).
	24	Klein et al., "trkB, a novel tyrosine protein kinase receptor expressed during mouse neural development," <u>EMBO Journal</u> 8 (12): 3701-3709 (1989).
	25	Lamballe et al., "trkC, a New Member of the trk Family of Tyrosine Protein Kinases, Is a Receptor for Neurotrophin-3," <u>Cell</u> 66: 967-979 (September 6, 1991).
	26	Leibrock et al., "Molecular cloning and expression of brain-derived neurotrophic factor," <u>Nature</u> 341:149-152 (September 14, 1989).
	27	Levi-Montalcini et al., "Nerve Growth Factor," <u>Physiol. Rev.</u> 48 (3): 535-569 (July 1968).
	28	McGregor et al., "Molecular Cloning of the cDNA for Human trkC (NTRK3), Chromosomal Assignment, and Evidence for a Splice Variant," <u>Genomics</u> , 22:267-272 (1994).
	29	Maisonpierre et al., "Neurotrophin-3: A Neurotrophic Factor Related to NGF and BDNF," <u>Science</u> 247: 1446-1451 (March 23, 1990).
	30	Mark, "Expression and Characterization of Hepatocyte Growth Factor Receptor-IgG Fusion Proteins," <u>The Journal of Biological Chemistry</u> , 267(36):26166-26171 (1992).
	31	Meakin et al., "The nerve growth factor family of receptors," <u>TINS</u> 15 (9): 323-331 (1992).
	32	Middlemas et al., "trkB, a Neural Receptor Protein-Tyrosine Kinase: Evidence for a Full-Length and Two Truncated Receptors," <u>Molecular & Cellular Biology</u> 11 (1): 143-153 (January 1991).
	33	Miknyoczki et al., "Neurotrophin-Trk receptor interactions in neoplasia: a possible role in interstitial and perineural invasion in ductal pancreatic cancer," <u>Crit. Rev. Oncog.</u> , 7(1-2):89-100 (1996).
	34	Nakagawara et al., "Cloning and Chromosomal Localization of the Human trk-B Tyrosine Kinase Receptor Gene (NTRK2)," <u>Genomics</u> , 25(2):538-546 (1995).
	35	Okazawa et al., "trk immunoreactivity at neuronal dendrite and cell body," <u>Biochem. Biophys. Res. Comm.</u> , 194(2):683-690 (1993).
	36	Rabizadeh et al., "Induction of Apoptosis by the Low-Affinity NGF Receptor," <u>Science</u> 261: 345-348 (July 16, 1993).
	37	Rodriguez-Tebar et al., "Binding of neurotrophin-3 to its neuronal receptors and interactions with nerve growth factor and brain-derived neurotrophic factor," <u>EMBO Journal</u> 11 (3): 917-922 (1992).
	38	Rosenthal et al., "Primary Structure and Biological Activity of a Novel Human Neurotrophic Factor," <u>Neuron</u> 4: 767-773 (May 1990).
	39	Schneider et al., "A novel modular mosaic of cell adhesion motifs in the extracellular domains of the neurogenic trk and trkB tyrosine kinase receptors," <u>Oncogene</u> , 6:1807-1811 (1991).
	40	Shelton et al., "Human trks: Molecular Cloning, Tissue Distribution, and Expression of Extracellular Domain Immunoconjugates," <u>The Journal of Neuroscience</u> , 15(1):477-491 (1995).
	41	Shelton et al., "Molecular Cloning and Expression of Human trk trkB, and trkC," <u>Society for Neuroscience, Abstracts</u> , 19(1-3):1301 (1993).
	42	Squinto et al., "trkB Encodes a Functional Receptor for Brain-Derived Neurotrophic Factor and Neurotrophin-3 but Not Nerve Growth Factor," <u>Cell</u> 65:885-893 (May 31, 1991).
	43	Thoenen et al., "The Physiological Function of Nerve Growth Factor in the Central Nervous System: Comparison With the Periphery," <u>Rev. Physiol. Biochem. Pharmacol.</u> 109: 146-178 (1987).
	44	Waldmann, "Monoclonal antibodies in diagnosis and therapy," <u>Science</u> , 252:1657-1661 (1991).
	45	Watson et al., "A homing receptor-IgG chimera as a probe for adhesive ligands of lymph node high endothelial venules," <u>J. Cell. Biol.</u> , 110:2221-2229 (1990).
	46	Williams, A.F., "A year in the life of the immunoglobulin superfamily," <u>Immunology Today</u> , 8(10):298-303 (1987).

W:\DOCS\GRD\GRD-6165.DOC

EXAMINER	DATE CONSIDERED
<p>*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.</p>	